

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2009

Rev. Index : 19

Revision: 03.12.2009

* 1 Identification of substance:

Trade name: Sagewash™ Sanitizer JACKETED CAPLETS

Article number: 11601 SW 1

Application of the substance / the preparation

Water treatment
Water disinfectant

Manufacturer/Supplier:

Manufactured For:
Sagewash Sanitizing Systems
3437 Paces Ferry Road
Tallahassee, FL 32309
USA

Information in case of chemical emergency:

NCEC - Tel. +44 (0)208 762 8322

{N.AMERICA >>> ACEAN (Arch Chemicals Emergency Action Network) - Tel. +1 423 780 2970}

* 2 Hazards identification

Hazard description:



C Corrosive
O Oxidising
N Dangerous for the environment

Information concerning to particular hazards to man and environment

The product has to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.

R 8 Contact with combustible material may cause fire.

R 22 Harmful if swallowed.

R 31 Contact with acids liberates toxic gas.

R 34 Causes burns.

R 50 Very toxic to aquatic organisms.

Warning! Do not use together with other products. May release dangerous gases (chlorine).

Classification system

The classification is according to the latest editions of the EU-lists, and extended by company and literature data.

GHS label elements



Danger

H272 - May intensify fire; oxidiser.



Danger

H314 - Causes severe skin burns and eye damage.



Warning

H400 - Very toxic to aquatic life.



Warning

H302+EUH031 - Harmful if swallowed. Contact with acids liberates toxic gas.

H335+H336 - May cause respiratory irritation. May cause drowsiness or dizziness.

(Contd. on page 2)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2009

Rev. Index : 19

Revision: 03.12.2009

Trade name: Sagewash™ Sanitizer JACKETED CAPLETS

(Contd. of page 1)

Warning! Do not use together with other products. May release dangerous gases (chlorine).

Prevention:

P221 Take any precaution to avoid mixing with combustibles.

Response:

P303+P361+P353 IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or doctor/physician.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

* 3 Composition/information on ingredients

Chemical characterization:**CAS No. Description:**

7778-54-3 calcium hypochlorite

Identification number(s):

EINECS Number: 231-908-7

Index number: 017-012-00-7

Impurities and stabilising additives:

CAS: 471-34-1 calcium carbonate

EINECS: 207-439-9

CAS: 10043-52-4 calcium chloride

EINECS: 233-140-8

CAS: 1305-62-0 calcium dihydroxide

EINECS: 215-137-3

CAS: 10137-74-3 calcium chlorate

EINECS: 233-378-2

CAS: 7647-14-5 sodium chloride

EINECS: 231-598-3

Xi; R 36

Warning: exclamation mark 3.3/2

Xi; R 41

Danger: corrosion 3.3/1

Danger: flame over circle 2.13/2

Chemical characterization**Dangerous components:**

CAS: 7778-54-3 calcium hypochlorite

EINECS: 231-908-7

C, Xn, O, N; R 8-22-31-34-50

50-<100%

Danger: flame over circle 2.14/2; corrosion 3.2/1B

Warning: environment 4.1.A/1; exclamation mark 3.1.O/4

CAS: 10043-52-4 calcium chloride

EINECS: 233-140-8

Xi; R 36

< 2%

Warning: exclamation mark 3.3/2

CAS: 1305-62-0 calcium dihydroxide

EINECS: 215-137-3

Xi; R 41

< 3%

Danger: corrosion 3.3/1

CAS: 10137-74-3 calcium chlorate

EINECS: 233-378-2

Danger: flame over circle 2.13/2

< 2%

Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

General information

Take affected persons out into the fresh air.

Immediately remove any clothing soiled by the product.

(Contd. on page 3)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2009

Rev. Index : 19

Revision: 03.12.2009

Trade name: Sagewash™ Sanitizer JACKETED CAPLETS

(Contd. of page 2)

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation In case of unconsciousness place patient stably in side position for transportation.**After skin contact**

Rinse with warm water.

Immediately wash with water and soap and rinse thoroughly.

After eye contact Rinse opened eye for several minutes (15) under running water. Then consult a doctor.**After swallowing**

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

5 Fire fighting measures

Suitable extinguishing agents Water spray**For safety reasons unsuitable extinguishing agents** Extinguishing powder.**Special hazards caused by the substance, its products of combustion or resulting gases:**

Carbon monoxide (CO)

Hydrogen chloride (HCl)

Protective equipment: Mount respiratory protective device.

6 Accidental release measures

Person-related safety precautions:

Mount respiratory protective device.

Wear protective equipment. Keep unprotected persons away.

Measures for environmental protection:

Keep contaminated washing water and dispose of appropriately.

Do not allow product to reach sewage system or any water course.

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

Measures for cleaning/collecting:

Use neutralizing agent.

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

* 7 Handling and storage

Handling

DO NOT MIX WITH OTHER PRODUCTS
DO NOT DISSOLVE BEFORE USE

Information for safe handling:

Prevent formation of dust.

Any unavoidable deposit of dust must be regularly removed.

Information about fire - and explosion protection: Substance/product is oxidizing when dry.**Storage****Requirements to be met by storerooms and receptacles:**

Do not store product where the average daily temperature exceeds 35°C. Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products

Store only in unopened original receptacles.

Information about storage in one common storage facility:

Store away from flammable substances.

Store away from reducing agents.

Do not store together with acids.

(Contd. on page 4)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2009

Rev. Index : 19

Revision: 03.12.2009

Trade name: **Sagewash™ Sanitizer JACKETED CAPLETS**

(Contd. of page 3)

Further information about storage conditions: Keep receptacle tightly sealed.

8 Exposure controls and personal protection gear

Additional information about design of technical facilities: No further data; see item 7.**Ingredients with limit values that require monitoring at the workplace:** Not required.**Additional information:** The lists valid during the making were used as basis.

Personal protective equipment

General protective and hygienic measures

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Respiratory protection:

Use suitable respiratory protective device only when aerosol or mist is formed.

Use suitable respiratory protective device when high concentrations are present.

Filter P2.

Protection of hands:



Protective gloves.

Neoprene gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Chloroprene rubber, CR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles.

Body protection: Protective work clothing.

9 Physical and chemical properties:

General Information

Form:	Tablets
Colour:	Whitish
Odour:	Characteristic

Change in condition

Melting point/Melting range: undetermined**Boiling point/Boiling range:** undetermined**Flash point:** Not applicable**Flammability (solid, gaseous)** Contact with combustible material may cause fire.

(Contd. on page 5)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2009

Rev. Index : 19

Revision: 03.12.2009

Trade name: **Sagewash™ Sanitizer JACKETED CAPLETS**

(Contd. of page 4)

Ignition temperature:**Decomposition temperature:** 170 - 180°C**Self-igniting:** Product is not selfigniting.**Danger of explosion:** Product does not present an explosion hazard.**Density at 20°C:** 1.3 g/cm³**Solubility in / Miscibility with****Water:** Partly soluble**pH-value (10 g/l) at 20°C:** 10.5 / 11.5**Organic solvents:** 0.0 %**Solids content:** 100.0 %**10 Stability and reactivity****Thermal decomposition / conditions to be avoided:**

Do not store product where the average daily temperature exceeds 35°C.

Storage above this temperature may result in rapid decomposition, evolution of chlorine gas and heat sufficient to ignite combustible products

Dangerous reactions

NEVER MIX THIS PRODUCT WITH ORGANIC CHLORINE (TRICHLOR or DICHLOR) WITHIN THE SAME CONTAINER

Reacts with strong oxidizing agents

Reacts with alcohols, amines, aqueous acids and alkalis

Reacts with flammable substances

Dangerous decomposition products: Poisonous gases/vapours**11 Toxicological information****Acute toxicity:****LD/LC50 values relevant for classification:****7778-54-3 calcium hypochlorite**

Oral LD50 850 mg/kg (rat)

1305-62-0 calcium dihydroxide

Oral LD50 7340 mg/kg (rat)

10043-52-4 calcium chloride

Oral LD50 1000 mg/kg (rat)

Primary irritant effect:**on the skin:** Caustic effect on skin and mucous membranes.**on the eye:** Strong caustic effect.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.

Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 6)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2009

Rev. Index : 19

Revision: 03.12.2009

Trade name: **Sagewash™ Sanitizer JACKETED CAPLETS**

(Contd. of page 5)

12 Ecological information:

Ecotoxicological effects:

Acquatic toxicity:

7778-54-3 calcium hypochlorite

LC/LD50	3474 mg/kg (bobwhite quail)
	Dietary > 5000 ppm (bobwhite quail)
LC50 - 48 hrs	0.11 mg/l (daphnia magna)
LC50 - 96 hrs	0.088 mg/l (bluegill sunfish)
	0.16 mg/l (rainbow trout)
LD/LC50	Dietary > 5000 ppm (mallard duck)

Remark: Very toxic for fish

General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.
Do not allow product to reach ground water, water course or sewage system.
Must not reach sewage water or drainage ditch undiluted or unneutralized.
Danger to drinking water if even small quantities leak into the ground.
Also poisonous for fish and plankton in water bodies.
Very toxic for aquatic organisms

13 Disposal considerations

Product:

Recommendation

Must be specially treated adhering to official regulations.
Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations.

* 14 Transport information

Land transport ADR/RID (cross-border)



ADR/RID class:	5.1 (O2) Oxidising substances.
Danger code (Kemler):	50
UN-Number:	1748
Packaging group:	III
Hazard label	5.1
Special marking:	Symbol (fish and tree)
Description of goods:	1748 CALCIUM HYPOCHLORITE MIXTURE, DRY
Excepted quantities (EQ):	E2
Limited quantities (LQ)	LQ11

Maritime transport IMDG:



IMDG Class: 5.1

(Contd. on page 7)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2009

Rev. Index : 19

Revision: 03.12.2009

Trade name: **Sagewash™ Sanitizer JACKETED CAPLETS**

(Contd. of page 6)

UN Number: 1748
Label 5.1
Packaging group: III
EMS Number: F-H,S-Q
Marine pollutant: Yes
 Symbol (fish and tree)
Proper shipping name: CALCIUM HYPOCHLORITE MIXTURE, DRY

Air transport ICAO-TI and IATA-DGR:

ICAO/IATA Class: 5.1
UN/ID Number: 1748
Label 5.1
Packaging group: III
Proper shipping name: CALCIUM HYPOCHLORITE MIXTURE, DRY
UN "Model Regulation": UN1748, CALCIUM HYPOCHLORITE MIXTURE, DRY, 5.1, III

*15 Regulations

Labelling according to EU guidelines:

The product has been classified and marked in accordance with EU Directives / Ordinance on Hazardous Materials

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 (REACH)

BPD labelling

- Best before : see date on packaging
- Dispose of this material and its container to hazardous or special waste collection point.
- Providing this container when empty is thoroughly rinsed out in the pool, it may be disposed of via the recycling scheme

Code letter and hazard designation of product:

C Corrosive
 O Oxidising
 N Dangerous for the environment

Risk phrases:

- 8 Contact with combustible material may cause fire.
- 22 Harmful if swallowed.
- 31 Contact with acids liberates toxic gas.
- 34 Causes burns.
- 50 Very toxic to aquatic organisms.

Safety phrases:

- 1/2 Keep locked up and out of the reach of children.
- 26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
- 29 Do not empty into drains.
- 36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
- 45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).
- 61 Avoid release to the environment. Refer to special instructions/safety data sheets.

Special labelling of certain preparations:

Warning! Do not use together with other products. May release dangerous gases (chlorine).

(Contd. on page 8)

Safety Data Sheet
according to 1907/2006/EC, Article 31

Printing date 03.12.2009

Rev. Index : 19

Revision: 03.12.2009

Trade name: Sagewash™ Sanitizer JACKETED CAPLETS

(Contd. of page 7)

National regulations

Waterhazard class: Water hazard class 2 (Self-assessment): hazardous for water.

***16 Other information:**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant R-phrases

- 22 Harmful if swallowed.
- 31 Contact with acids liberates toxic gas.
- 34 Causes burns.
- 36 Irritating to eyes.
- 41 Risk of serious damage to eyes.
- 50 Very toxic to aquatic organisms.
- 8 Contact with combustible material may cause fire.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

IATA-DGR: Dangerous Goods Regulations by the "International Air Transport Association" (IATA)

ICAO: International Civil Aviation Organization

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO)

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

*** Data compared to the previous version altered.**